

Patient Intelligence

Select a study to launch, then select a cohort.


Start a new analysis

Explore a Market

Revisit recent analyses


Explore a new analysis by selecting an app below. On the next screen, select a cohort to use as the base for the analysis.

Purchased Packages




Key Insight

Cohort Explorer
Application designed to support rapid querying and reporting to discover patient trends and encounter populations.



Key Insight

Patient Journey
Understanding the details of all patient touchpoints within a specific healthcare experience.




Key Insight

Line of Therapy (LoT) Studies
Understand how patients progress across different lines of treatment and what is driving certain behaviors.


All Product Packages

[View Cart](#)




Key Insight

Adherence & Persistency
FREE 7-DAY TRIAL
Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.




Key Insight

Disease Progression
FREE 7-DAY TRIAL
Brief description




Key Insight

Market Landscape Study
FREE 7-DAY TRIAL
Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.



Key Insight

Patient Overview
FREE 7-DAY TRIAL
Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.



Key Insight

Payer Analysis
FREE 7-DAY TRIAL
Understanding how different healthcare payer's may influence the patient's treatment decisions.

Insights

Lung Cancer is by far the leading cause of cancer death

KPI
Lung Cancer is by far the leading cause of cancer death among men and women, making up more than 25% of cancer deaths

NSCLC is the most common type of lung cancer

KPI
Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, accounting for 85% of cases

Approximately 50% of NSCLC patients have oncogene

KPI
Approximately 50% of NSCLC patients have oncogene, that initiates cancer and contribute to growth.

Treatment with targeted therapy

KPI
Treatment with targeted therapy is associated with improved outcomes for patients.

Adherence & Persistency

APP
Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

Market Landscape Study

APP
Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.

Patient Overview

APP
Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.

Payer Analysis

APP
Understanding how different healthcare payer's may influence the patient's treatment decisions.

Patient Journey

APP
Understanding the details of all patient touchpoints within a specific healthcare experience.


Line of Therapy

APP
Understand how patients progress across different lines of treatment and what is driving certain behaviors.

Cohort Explorer

APP
Application designed to support rapid querying and reporting to discover patient trends and encounter populations.


Resources




Key Insights



Predictive Insights



Frequently Asked Questions



Run Reports

Patient Intelligence

Select a study to launch, then select a cohort.

Non Small Cell Lung Cancer

- Line of Therapy
- Patient Journey
- Oncology Cohort
- Diabetes Market

Start a new analysis

Explore a new market

Revisit recent analyses

Explore a new cohort based on a specific therapeutic market by launching the app from the options below.

Key Insights

Global Oncology Market is expected to reach \$2,74,401 Million by 2030, growing at a CAGR of 7.5%.

Purchased Markets

Key Insight

Cardiology

Brief description

Key Insight

Diabetes

Brief description

Key Insight

Oncology

Brief description

Key Insight

Rheumatoid Arthritis

Brief description

All Markets

Key Insight

Asthma

Brief description

Key Insight

Decongestant

Brief description

Key Insight

Endocrinology

Brief description

Key Insight

Epidemiology

Brief description

Key Insight

Dermatology

Brief description

Key Insight

Gastroenterology

Brief description

Key Insight

Hematology

Brief description

Key Insight

Immunology

Brief description

Resources

Key Insights

Predictive Insights

Frequently Asked Questions

Run Reports

Insights

Lung Cancer is by far the leading cause of cancer death

KPI
Lung Cancer is by far the leading cause of cancer death among men and women, making up more than 25% of cancer deaths

NSCLC is the most common type of lung cancer

KPI
Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, accounting for 85% of cases

Approximately 50% of NSCLC patients have oncogene

KPI
Approximately 50% of NSCLC patients have oncogene, that initiates cancer and contribute to growth.

Treatment with targeted therapy

KPI
Treatment with targeted therapy is associated with improved outcomes for patients.

Adherence & Persistency

APP
Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

Market Landscape Study

APP
Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.

Patient Overview

APP
Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.

Payer Analysis

APP
Understanding how different healthcare payer's may influence the patient's treatment decisions.

Patient Journey

APP
Understanding the details of all patient touchpoints within a specific healthcare experience.

Line of Therapy

APP
Understand how patients progress across different lines of treatment and what is driving certain behaviors.

Cohort Explorer

APP
Application designed to support rapid querying and reporting to discover patient trends and encounter populations.



Patient Intelligence

Select a study to launch, then select a cohort.

Start a new analysis

Explore a new market

Revisit recent analyses


Diabetes Market

[← Return to All Markets](#)

Key Insights


Global Oncology Market is expected to reach \$2,74,401 Million by 2030, growing at a CAGR of 7.5%.

Key Performance Indicators



Clinical Outcomes

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc porttitor purus nec porttitor lobortis. [More](#) ▾



Average Sales per Transaction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc porttitor purus nec porttitor lobortis. [More](#) ▾



Market Share

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc porttitor purus nec porttitor lobortis. [More](#) ▾

Related Cohorts

Purchased

Cohort Name

Creator:
Number of patients:
Date modified:

Cohort Name

Creator:
Number of patients:
Date modified:

Cohort Name

Creator:
Number of patients:
Date modified:

Cohort Name

Creator:
Number of patients:
Date modified:

Resources

Key Insights

Predictive Insights

Frequently Asked Questions

Run Reports

Insights

Lung Cancer is by far the leading cause of cancer death

KPI
Lung Cancer is by far the leading cause of cancer death among men and women, making up more than 25% of cancer deaths

NSCLC is the most common type of lung cancer

KPI
Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, accounting for 85% of cases

Approximately 50% of NSCLC patients have oncogene

KPI
Approximately 50% of NSCLC patients have oncogene, that initiates cancer and contribute to growth.

Treatment with targeted therapy

KPI
Treatment with targeted therapy is associated with improved outcomes for patients.

Adherence & Persistency

APP
Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

Market Landscape Study

APP
Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.

Patient Overview

APP
Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.

Payer Analysis

APP
Understanding how different healthcare payer's may influence the patient's treatment decisions.

Patient Journey

APP
Understanding the details of all patient touchpoints within a specific healthcare experience.

Line of Therapy

APP
Understand how patients progress across different lines of treatment and what is driving certain behaviors.

Cohort Explorer

APP
Application designed to support rapid querying and reporting to discover patient trends and encounter populations.



Patient Intelligence

Select a study to launch, then select a cohort.



Start a new analysis

Explore a new market

Revisit recent analyses

Continue from a previous session.

Recent Activity

Name ▾	App	Date Modified
Description/Name	Patient Journey	4-28-2022
Description/Name	Cohort Explorer	4-23-2022
Description/Name	Adherence & Persistency	4-15-2022
Description/Name	Line of Therapy Study	4-14-2022
Description/Name	Disease Progression	4-3-2022
Description/Name	Payer Analysis	3-29-2022
Description/Name	Market Landscape Study	3-20-2022
Description/Name	Adherence & Persistency	3-17-2022

[Continue >](#)

Resources



Key Insights



Predictive Insights



Frequently Asked Questions



Run Reports

Insights

Lung Cancer is by far the leading cause of cancer death

KPI
Lung Cancer is by far the leading cause of cancer death among men and women, making up more than 25% of cancer deaths

NSCLC is the most common type of lung cancer

KPI
Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, accounting for 85% of cases

Approximately 50% of NSCLC patients have oncogene

KPI
Approximately 50% of NSCLC patients have oncogene, that initiates cancer and contribute to growth.

Treatment with targeted therapy

KPI
Treatment with targeted therapy is associated with improved outcomes for patients.

Adherence & Persistency

APP
Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

Market Landscape Study

APP
Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.

Patient Overview

APP
Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.

Payer Analysis

APP
Understanding how different healthcare payer's may influence the patient's treatment decisions.

Patient Journey

APP
Understanding the details of all patient touchpoints within a specific healthcare experience.

Line of Therapy

APP



Patient Intelligence

Select a study to launch, then select a cohort.

Start a new analysis

Explore a new market

Revisit recent analyses

- Cohorts**
 - Purchased
 - Diabetes
 - Rheumatoid Arthritis
 - Available
- Markets**
 - Purchased
 - Cardiology
 - Diabetes
 - Oncology
 - Rheumatoid Arthritis
 - Available
- Submarkets**
 - Purchased
 - Breast
 - Non-small Cell Lung
 - Hodgkin's Lymphoma
 - Available
 - Bladder
 - Cervical

Oncology Market

Explore a new cohort based on a specific therapeutic market by launching the app from the options below.

Key Insights

Global Oncology Market is expected to reach \$2,74,401 Million by 2030, growing at a CAGR of 7.5%.

Purchased Markets

- Breast**
Brief description
Key Insight
- Lung, Non Small Cell**
Brief Description
Key Insight
- Lymphoma, Hodgkin's**
Brief description
Key Insight

All Markets

- Bladder**
Brief description
Key Insight
- Cervical**
Brief description
Key Insight
- CNS, Glioblastoma**
Brief description
Key Insight
- CNS, Medulloblastoma**
Brief description
Key Insight
- Colorectal**
Brief description
Key Insight
- Endometrial**
Brief description
Key Insight
- Esophageal**
Brief description
Key Insight
- Gastric**
Brief description
Key Insight
- GIST**
Brief description
Key Insight
- Head/Neck**
Brief description
Key Insight
- Leukemia, Acute Lymphocytic**
Brief description
Key Insight
- Leukemia, Acute Myelogenous**
Brief description
Key Insight

Resources

- Key Insights ⓘ
- Predictive Insights ⓘ
- Frequently Asked Questions ⓘ
- Run Reports ⓘ

Insights

Title/Headline
KPI
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
APP
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
KPI
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
KPI
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
APP
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
APP
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
KPI
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
KPI
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
APP
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
APP
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
APP
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
KPI
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec placerat iaculis mattis. Quisque tincidunt mattis enim, vitae venenatis.

Title/Headline
KPI



Patient Intelligence

Select a study to launch, then select a cohort.

Start a new analysis

Explore a new market

Revisit recent analyses

Oncology Market

Lung, Non-Small Cell

[← Return to All Markets](#)

Key Insights


Global Oncology Market is expected to reach \$2,74,401 Million by 2030, growing at a CAGR of 7.5%.

Key Performance Indicators




Leading cause

Lung cancer is the leading cause of death among men and women, making up more than 25% of cancer deaths. [More](#) ▾



Commonality

NSCLC is the most common type of lung cancer, accounting for 85% of cases. [More](#) ▾



Comorbidities

Approximately 50% of NSCLC patients have gone, which initiates cancer and contributes to growth. [More](#) ▾

Related Cohorts

Lung Cancer Diagnosed Patients

Creator: Sally McGee
Number of patients: 252,403
Date modified: September 1, 2022

NSCLC with EGF

Creator: Mary Johnson
Number of patients: 48,595
Date modified: August 28, 2022

Multiple Myeloma Diagnosed Patients

Creator: Doug Jones
Number of patients: 131,892
Date modified: August 11, 2022

Lung Cancer Diagnosed Patients Tested for PDL-1

Creator: John Smith
Number of patients: 76,501
Date modified: August 3, 2022

[View all cohorts](#)

[Launch Cohort](#)

Resources



Key Insights



Predictive Insights



Frequently Asked Questions



Run Reports

Insights

Lung Cancer is by far the leading cause of cancer death

KPI
Lung Cancer is by far the leading cause of cancer death among men and women, making up more than 25% of cancer deaths

NSCLC is the most common type of lung cancer

KPI
Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, accounting for 85% of cases

Approximately 50% of NSCLC patients have oncogene

KPI
Approximately 50% of NSCLC patients have oncogene, that initiates cancer and contribute to growth.

Treatment with targeted therapy

KPI
Treatment with targeted therapy is associated with improved outcomes for patients.

Adherence & Persistency

APP
Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

Market Landscape Study

APP
Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.

Patient Overview

APP
Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.

Payer Analysis

APP
Understanding how different healthcare payer's may influence the patient's treatment decisions.

Patient Journey

APP
Understanding the details of all patient touchpoints within a specific healthcare experience.

Line of Therapy

APP
Understand how patients progress across different lines of treatment and what is driving certain behaviors.

Cohort Explorer

APP
Application designed to support rapid querying and reporting to discover patient trends and encounter populations.

Patient Intelligence

Select a study to launch, then select a cohort.

Non Small Cell Lung Cancer


- Line of Therapy
- Patient Journey
- Oncology Cohort
- Diabetes Market

Start a new analysis

Explore a Market

Revisit recent analyses


Explore a new analysis by selecting an app below. On the next screen, select a cohort to use as the base for the analysis.



Key Insight

Adherence & Persistency


Brief description



Key Insight

Cohort Builder


Brief description



Key Insight

Cohort Explorer


Brief description



Key Insight

Disease Progression


Brief description



Key Insight

Line of Therapy (LoT) Studies

Brief description




Key Insight

Market Landscape Study

FREE 7-DAY TRIAL


Brief description



Key Insight

Payer Analysis

Brief description



Key Insight

Patient Journey

Brief description

Insights

Lung Cancer is by far the leading cause of cancer death

KPI
Lung Cancer is by far the leading cause of cancer death among men and women, making up more than 25% of cancer deaths

NSCLC is the most common type of lung cancer

KPI
Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, accounting for 85% of cases

Approximately 50% of NSCLC patients have oncogene

KPI
Approximately 50% of NSCLC patients have oncogene, that initiates cancer and contribute to growth.

Treatment with targeted therapy

KPI
Treatment with targeted therapy is associated with improved outcomes for patients.

Adherence & Persistency

APP
Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

Market Landscape Study

APP
Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.

Patient Overview

APP
Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.

Payer Analysis

APP
Understanding how different healthcare payer's may influence the patient's treatment decisions.

Patient Journey

APP
Understanding the details of all patient touchpoints within a specific healthcare experience.


Line of Therapy

APP
Understand how patients progress across different lines of treatment and what is driving certain behaviors.


Cohort Explorer

APP
Application designed to support rapid querying and reporting to discover patient trends and encounter populations.


Resources




Key Insights



Predictive Insights



Frequently Asked Questions



Run Reports



Patient Intelligence

Select a study to launch, then select a cohort.

Start a new analysis **Explore a new market** Revisit recent analyses

Explore a new cohort based on a specific therapeutic market by launching the app from the options below.

Key Insights
Global Oncology Market is expected to reach \$2,74,401 Million by 2030, growing at a CAGR of 7.5%.

Purchased Markets

 Cardiology Brief description	 Diabetes Brief description	 Oncology Brief description	 Rheumatoid Arthritis Brief description
--	--	--	--

All Markets

 Asthma Brief description	 Decongestant Brief description	 Endocrinology Brief description	 Epidemiology Brief description
 Dermatology Brief description	 Gastroenterology Brief description	 Hematology Brief description	 Immunology Brief description
 Infectious Disease Brief description	 Iron Deficiency Brief description	 Mental Health Brief description	 Neurology Brief description
 Ophthalmology Brief description	 Osteoporosis Brief description	 Pain Management Brief description	 Ulcerative Colitis Brief description
 Urology Brief description	 Vitamin D Brief description	 Women's Health Brief description	

Resources

 Key Insights	 Predictive Insights	 Frequently Asked Questions	 Run Reports
-------------------------	--------------------------------	---------------------------------------	------------------------

Insights

Lung Cancer is by far the leading cause of cancer death
 KPI
 Lung Cancer is by far the leading cause of cancer death among men and women, making up more than 25% of cancer deaths

NSCLC is the most common type of lung cancer
 KPI
 Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, accounting for 85% of cases

Approximately 50% of NSCLC patients have oncogene
 KPI
 Approximately 50% of NSCLC patients have oncogene, that initiates cancer and contribute to growth.

Treatment with targeted therapy
 KPI
 Treatment with targeted therapy is associated with improved outcomes for patients.

Adherence & Persistency
 APP
 Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

Market Landscape Study
 APP
 Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.

Patient Overview
 APP
 Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.

Payer Analysis
 APP
 Understanding how different healthcare payer's may influence the patient's treatment decisions.

Patient Journey
 APP
 Understanding the details of all patient touchpoints within a specific healthcare experience.

Line of Therapy
 APP
 Understand how patients progress across different lines of treatment and what is driving certain behaviors.

Cohort Explorer
 APP
 Application designed to support rapid querying and reporting to discover patient trends and encounter populations.



Patient Intelligence

Select a study to launch, then select a cohort.

Start a new analysis

Explore a Market

Revisit recent analyses

Explore a new analysis by selecting an app below. On the next screen, select a cohort to use as the base for the analysis.

Purchased Packages

Key Insight

Line of Therapy (LoT) Studies

Brief description

All Product Packages

View Cart

Key Insight

Adherence & Persistency

FREE 7-DAY TRIAL

Brief description

Key Insight

Cohort Explorer

FREE 7-DAY TRIAL

Brief description

Key Insight

Disease Progression

FREE 7-DAY TRIAL

Brief description

Key Insight

Market Landscape Study

FREE 7-DAY TRIAL

Brief description

Key Insight

Payer Analysis

FREE 7-DAY TRIAL

Brief description

Key Insight

Patient Journey

FREE 7-DAY TRIAL

Brief description

Resources

Key Insights

Predictive Insights

Frequently Asked Questions

Run Reports

Insights

Lung Cancer is by far the leading cause of cancer death

KPI
Lung Cancer is by far the leading cause of cancer death among men and women, making up more than 25% of cancer deaths

NSCLC is the most common type of lung cancer

KPI
Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, accounting for 85% of cases

Approximately 50% of NSCLC patients have oncogene

KPI
Approximately 50% of NSCLC patients have oncogene, that initiates cancer and contribute to growth.

Treatment with targeted therapy

KPI
Treatment with targeted therapy is associated with improved outcomes for patients.

Adherence & Persistency

APP
Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

Market Landscape Study

APP
Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.

Patient Overview

APP
Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.

Payer Analysis

APP
Understanding how different healthcare payer's may influence the patient's treatment decisions.

Patient Journey

APP
Understanding the details of all patient touchpoints within a specific healthcare experience.

Line of Therapy

APP
Understand how patients progress across different lines of treatment and what is driving certain behaviors.

Cohort Explorer

APP
Application designed to support rapid querying and reporting to discover patient trends and encounter populations.



Non Small Cell Lung Cancer

Line of Therapy

Patient Journey

Oncology Cohort

Diabetes Market



Patient Intelligence

Select a study to launch, then select a cohort.



Search Results

LINE OF THERAPY APP

Non Small Cell Lung Cancer - LoT 1

COHORT

Non Small Cell Lung Cancer

PATIENT JOURNEY APP

Non Small Cell Lung Cancer

COHORT

NSCLC

COHORT

NSC Lung Cancer

Insights

Lung Cancer is by far the leading cause of cancer death

KPI

Lung Cancer is by far the leading cause of cancer death among men and women, making up more than 25% of cancer deaths

NSCLC is the most common type of lung cancer

KPI

Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, accounting for 85% of cases

Approximately 50% of NSCLC patients have oncogene

KPI

Approximately 50% of NSCLC patients have oncogene, that initiates cancer and contribute to growth.

Treatment with targeted therapy

KPI

Treatment with targeted therapy is associated with improved outcomes for patients.

Adherence & Persistency

APP

Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

Market Landscape Study

APP

Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.

Patient Overview

APP

Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.

Payer Analysis

APP

Understanding how different healthcare payer's may influence the patient's treatment decisions.

Patient Journey

APP

Understanding the details of all patient touchpoints within a specific healthcare experience.

Line of Therapy

APP

Understand how patients progress across different lines of treatment and what is driving certain behaviors.

Cohort Explorer

APP

Application designed to support rapid querying and reporting to discover patient trends and encounter populations.

Resources



Key Insights



Predictive Insights



Frequently Asked Questions



Run Reports



Patient Intelligence

Select a study to launch, then select a cohort.

Start a new analysis

Explore a new market

Revisit recent analyses

Oncology Market

Explore a new cohort based on a specific therapeutic market by launching the app from the options below.

Key Insights

Global Oncology Market is expected to reach \$2,74,401 Million by 2030, growing at a CAGR of 7.5%.

Oncology Markets

Breast Brief description Key Insight	Lung, Non Small Cell Brief Description Key Insight	Lymphoma, Hodgkin's Brief description Key Insight	
Bladder Brief description Key Insight	Cervical Brief description Key Insight	CNS, Glioblastoma Brief description Key Insight	CNS, Medulloblastoma Brief description Key Insight
Colorectal Brief description Key Insight	Endometrial Brief description Key Insight	Esophageal Brief description Key Insight	Gastric Brief description Key Insight
GIST Brief description Key Insight	Head/Neck Brief description Key Insight	Leukemia, Acute Lymphocytic Brief description Key Insight	Leukemia, Acute Myelogenous Brief description Key Insight
Leukemia, Chronic Lymphocytic Brief description Key Insight	Leukemia, Chronic Myelogenous Brief description Key Insight	Liver Brief description Key Insight	Lung Cancer, Small Cell Brief description Key Insight
Lymphoma, Non-Hodgkin's Brief description Key Insight	Melanoma Brief description Key Insight	Mesothelioma Brief description Key Insight	Metastatic Cancer Brief description Key Insight
Multiple Myeloma Brief description Key Insight	Myelodysplastic Syndrome Brief description Key Insight	Myeloproliferative Neoplasms Brief description Key Insight	Neuroendocrine Brief description Key Insight
Ovarian Brief description Key Insight	Pancreas Brief description Key Insight	Prostate Brief description Key Insight	Renal Brief description Key Insight
Skin, Basal Cell Carcinoma Brief description Key Insight	Soft Tissue Sarcoma Brief description Key Insight	Supportive Care Brief description Key Insight	Testicular Brief description Key Insight
Thyroid Brief description Key Insight	Unspecified Cancer Brief description Key Insight	Unspecified Solid Tumor Brief description Key Insight	

Resources

 Key Insights	 Predictive Insights	 Frequently Asked Questions	 Run Reports
------------------	-------------------------	--------------------------------	-----------------

Insights

Lung Cancer is by far the leading cause of cancer death

KPI
Lung Cancer is by far the leading cause of cancer death among men and women, making up more than 25% of cancer deaths

NSCLC is the most common type of lung cancer

KPI
Non-small cell lung cancer (NSCLC) is the most common type of lung cancer, accounting for 85% of cases

Approximately 50% of NSCLC patients have oncogene

KPI
Approximately 50% of NSCLC patients have oncogene, that initiates cancer and contribute to growth.

Treatment with targeted therapy

KPI
Treatment with targeted therapy is associated with improved outcomes for patients.

Adherence & Persistency

APP
Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

Market Landscape Study

APP
Understanding the dynamics of a market, including volume and value, potential customer segments, sales/revenue, competition, and other important factors.

Patient Overview

APP
Understanding a patient's profile, including age, gender, income, ethnicity and geographic distribution.

Payer Analysis

APP
Understanding how different healthcare payer's may influence the patient's treatment decisions.

Patient Journey

APP
Understanding the details of all patient touchpoints within a specific healthcare experience.

Line of Therapy

APP
Understand how patients progress across different lines of treatment and what is driving certain behaviors.

Cohort Explorer


APP
Application designed to support rapid querying and reporting to discover patient trends and encounter populations.



Patient Intelligence

Select a study to launch, then select a cohort.

View Cart



Adherence & Persistency

Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.

\$XX.XX



Dermatology Market

Understanding the details of all patient touchpoints within a specific healthcare experience.

\$XX.XX



Acne Cohort

Understanding the details of all patient touchpoints within a specific healthcare experience.

\$XX.XX

Subtotal	\$XX.XX
Tax	\$XX.XX
Total	\$XX.XX

[Proceed to Checkout](#)

Suggested Apps and Cohorts

Line of Therapy Treatments

Non Small Cell Lung Cancer 🔒

Filter Component
Drag a card to the right to view full data set.

Search

Pre-Diagnosis Analysis

- Distribution of Top Comorbidities
- Disease Specific Comorbidities
- Comorbidities prior to Diagnosis
- Constitutional Comorbidities
- Distribution of Charlson Comorbidities










Treatment Timing Analysis

- Time between Diagnosis and First Treatment
- Diagnostic Testing
- Survival Rates from Time to Treatment
- Constitutional Comorbidities
- Time between 1L Discontinuation & 2L Initiation
- Time between 2L Discontinuation & 3L Initiation
- Time between Lines
- Time to Progression
- Median Survival
- Treatment across LoT

LoT Metrics

- Total Patient Volume by Line
- Product Share by Line
- Total Patient Volume by Product

Metrics ⚙️ 🔗 📄 ↻ ✕





Select a Cohort

To explore a Patient Journey, select one or more cohorts.



Advanced search

Sort



Created by Symphony >

Lung Cancer Diagnosed Patients ✓

Creator:
Number of patients: 252,403
Date modified:

Launch App

NSCLC with EGF

Creator:
Number of patients: 48,595
Date modified:

Launch App

Multiple Myeloma Diagnosed Patients

Creator:
Number of patients: 131,892
Date modified:

Launch App

Lung Cancer Diagnosed patients tested for PDL-1

Creator:
Number of patients: 76,501
Date modified:

Launch App

Browse by Therapeutic Area >

NSCLC

Number of patients:
Study period:
Data source:

Launch App

SCLC

Creator:
Number of patients:
Date modified:

Launch App

Heart Disease

Creator:
Number of patients:
Date modified:

Launch App

Lung Cancer

Creator:
Number of patients:
Date modified:

Launch App

Cancel

Launch



Patient Journey

Non Small Cell Lung Cancer 🔍 📄 🔒

Filter Component
Drag a card to the right to view full data set.

Search

Demographics


- Gender**
 - Female: 124,650
 - Male: 99,721
 - Other: 24,930
- Age**
 - 70: 124,650
 - 60: 99,721
 - 50: 24,930
 - 40: 24,930
 - 30: 24,930
- Income**
- Education**

Pre-Diagnosis

- Comorbidities
- Diagnostic Tests
- Practitioner Specialty
- Prescriptions

Diagnosis

- Setting
- Practitioner Specialty
- Payer Metrics
- Prescriptions



KEY METRIC HIGHLIGHTS

Demographics

- Gender: Male
- Age: 31–40 years
- Income: \$75K–99K
- Education: Bachelor's
- Ethnicity: Caucasian

Pre-Diagnosis

- Diagnostic Test: X-ray
47% of patients has 3 or more test/procedures prior to diagnosis.
- Comorbidities: Hypertension
43% of patients presented with 3+ comorbidities before receiving a lung cancer diagnosis.
- Prescriptions
52% of NSCLC patients received antibiotics, steroids to treat severe pain, infections, and stomach ulcers prior to diagnosis.
- Practitioner Specialty: Internal Medicine

Geographic Distribution: Population

[View full metrics](#)



Patient Journey

Non Small Cell Lung Cancer 🔍 📄 🔊 🔒

Filter Component
Drag a card to the right to view full data set.

Search

Demographics


- Gender**
 - Female: 124,650
 - Male: 99,721
 - Other: 24,930
- Age**
 - 70: 124,650
 - 60: 99,721
 - 50: 24,930
 - 40: 24,930
 - 30: 24,930
- Income**
- Education**

Pre-Diagnosis

- Comorbidities**
- Diagnostic Tests**
- Practitioner Specialty**
- Prescriptions**

Diagnosis

- Setting**
- Practitioner Specialty**
- Payer Metrics**
- Prescriptions**



KEY METRIC HIGHLIGHTS

Demographics

- Gender: Male [>](#)
- Age: 31-40 years [>](#)
- Income: \$75K-99K [>](#)
- Education: Bachelor's [>](#)
- Ethnicity: Caucasian [>](#)

Pre-Diagnosis

- Diagnostic Test: X-ray [>](#)
47% of patients has 3 or more test/procedures prior to diagnosis.
- Comorbidities: Hypertension [>](#)
43% of patients presented with 3+ comorbidities before receiving a lung cancer diagnosis.
- Prescriptions [>](#)
52% of NSCLC patients received antibiotics, steroids to treat severe pain, infections, and stomach ulcers prior to diagnosis.
- Practitioner Specialty: Internal Medicine [>](#)

Geographic Distribution: Population 🗺️

[View full metrics](#)

Line of Therapy Treatments

Non Small Cell Lung Cancer 🔒

Filter Component
Drag a card to the right to view full data set.

Search

Pre-Diagnosis Analysis

- Distribution of Top Comorbidities
- Disease Specific Comorbidities
- Comorbidities prior to Diagnosis
- Constitutional Comorbidities
- Distribution of Charlson Comorbidities










Treatment Timing Analysis

- Time between Diagnosis and First Treatment
- Diagnostic Testing
- Survival Rates from Time to Treatment
- Constitutional Comorbidities
- Time between 1L Discontinuation & 2L Initiation
- Time between 2L Discontinuation & 3L Initiation
- Time between Lines
- Time to Progression
- Median Survival
- Treatment across LoT

LoT Metrics

- Total Patient Volume by Line
- Product Share by Line
- Total Patient Volume by Product

Metrics ⚙️ 🔍 📄 🔄 ✕



Line of Therapy

Non Small Cell Lung Cancer 🔍 📄 🔊 🔒

Filter Component

Drag a card to the right to view full data set.

 🔍

Pre-Diagnosis Analysis

- Distribution of Top Comorbidities
- Disease Specific Comorbidities
- Comorbidities prior to Diagnosis
- Constitutional Comorbidities
- Distribution of Charlson Comorbidities

Treatment Timing Analysis


- Time between Diagnosis and First Treatment
- Diagnostic Testing
- Survival Rates from Time to Treatment
- Constitutional Comorbidities
- Time between 1L Discontinuation & 2L Initiation
- Time between 2L Discontinuation & 3L Initiation
- Time between Lines
- Time to Progression
- Median Survival
- Treatment across LoT

LoT Metrics

- Total Patient Volume by Line
- Product Share by Line
- Total Patient Volume by Product

Line of Therapy Overview

METRIC VIEW | **FLOW VIEW**



Number of Patients

KEY METRIC HIGHLIGHTS

Demographics

- Gender: Male
- Age: 31–40 years
- Income: \$75K–99K
- Education: Bachelor's
- Ethnicity: Caucasian

Pre-Diagnosis


Diagnostic Test: X-ray
47% of patients has 3 or more test/procedures prior to diagnosis.

Comorbidities: Hypertension
43% of patients presented with 3+ comorbidities before receiving a lung cancer diagnosis.

Prescriptions
52% of NSCLC patients received antibiotics, steroids to treat severe pain, infections, and stomach ulcers prior to diagnosis.

Practitioner Specialty: Internal Medicine

Geographic Distribution: Population



View full metrics



Line of Therapy

Non-Small Cell Lung Cancer 🔍 📄 🔊 🔒

Filter Component

Drag a card to the right to view full data set.

Pre-Diagnosis Analysis

- Distribution of Top Comorbidities
- Disease Specific Comorbidities
- Comorbidities prior to Diagnosis
- Constitutional Comorbidities
- Distribution of Charlson Comorbidities

Treatment Timing Analysis

- Time between Diagnosis and First Treatment
- Diagnostic Testing
- Survival Rates from Time to Treatment
- Constitutional Comorbidities
- Time between 1L Discontinuation & 2L Initiation
- Time between 2L Discontinuation & 3L Initiation
- Time between Lines
- Time to Progression
- Median Survival
- Treatment across LoT

LoT Metrics

- Total Patient Volume by Line
- Product Share by Line
- Total Patient Volume by Product

METRIC VIEW | FLOW VIEW

DIAGNOSIS
LINE 1
LINE 2
LINE 3
LINE 4

Pre-Treatment (Diagnosis)

Diagnostic Specialty	Type	Percent
Dermatologist		58%
PCP		8%
NP/PA		6%
Pediatrician		6%
Other		10%

Patient Demographics

Gender

38% Male, 62% Female

Age

0-8	0%
9-12	1%
13-16	18%
17-20	36%
21-24	10%

Time between first diagnosis and first treatment

First Treatment: Doxycycline Hyclate

1st Tx - 30.3K Pts

*Note: Patients receiving product as first treatment in first seven days within first diagnosis

Timing

38% Patients on first treatment for 30 days or 30-60 days

Primary Specialty

Type	Percent
Dermatologist	24%
Pediatrician	5%
PCP	24%
NP/PA	24%
Other	16%

Secondary Specialty

Top Five Combination Treatments

- Mono (12%)
- Combination (88%)
- Clindamycin Phosphate (26%)
- Tretinoin (26%)
- Adapalene (8%)
- Clindamycin Phosphate (6%)
- Epiduo (4%)

Second Treatment

Discontinue Treatment

42% Patients

Continue Treatment

37% Patients

Switch Treatment

21% Patients

Product	Median days between first Tx to switch
Clindamycin Phosphate	80
Tretinoin	56
Doxycycline Monohydrate	198
Minocycline HCL	118
Adapalene	38

Add-on Treatment

0.01% Patients

KEY METRIC HIGHLIGHTS

Demographics

- Gender: Male
- Age: 31-40 years
- Income: \$75K-99K
- Education: Bachelor's
- Ethnicity: Caucasian

Pre-Diagnosis

- Diagnostic Test: X-ray
- 47% of patients has 3 or more test/procedures prior to diagnosis.
- Comorbidities: Hypertension
- 43% of patients presented with 3+ comorbidities before receiving a lung cancer diagnosis.

Prescriptions

- 52% of NSCLC patients received antibiotics, steroids to treat severe pain, infections, and stomach ulcers prior to diagnosis.

Practitioner Specialty: Internal Medicine

Geographic Distribution: Population

[View full metrics](#)



Line of Therapy

Non Small Cell Lung Cancer

Filter Component
Drag a card to the right to view full data set.

Pre-Diagnosis Analysis



- Distribution of Top Comorbidities
- Disease Specific Comorbidities
- Comorbidities prior to Diagnosis
- Constitutional Comorbidities
- Distribution of Charlson Comorbidities

Treatment Timing Analysis

- Time between Diagnosis and First Treatment
- Diagnostic Testing
- Survival Rates from Time to Treatment
- Constitutional Comorbidities
- Time between 1L Discontinuation & 2L Initiation
- Time between 2L Discontinuation & 3L Initiation
- Time between Lines
- Time to Progression
- Median Survival
- Treatment across LoT

Lines of Therapy Metrics

- Total Patient Volume by Line
- Product Share by Line
- Total Patient Volume by Product
- Total Patient Share by Product (L1 with Maintenance)



LEGEND

- Discontinue treatment
- Continue treatment
- Switch treatment
- Add-on treatment

KEY METRIC HIGHLIGHTS

Demographics

- Gender >
- Age >
- Income >
- Education >
- Ethnicity >

Pre-Diagnosis

Diagnostic Tests >
47% of patients had 3 or more diagnostic tests/procedures prior to Diagnosis

Comorbidities >
43% of patients present with 3+ comorbidities in the year before lung cancer diagnosis

Prescriptions >
52% of NSCLC patients received antibiotics, steroids to treat severe pain, infections and stomach ulcers prior to diagnosis.

Practitioner Specialty >

View full metrics

Number of Patients

Line of Therapy

Non Small Cell Lung Cancer 🗄️ 🔍 🔒

Filter Component

Drag a card to the right to view full data set.

Search

Pre-Diagnosis Analysis

- ⋮ Distribution of Top Comorbidities
- ⋮ Disease Specific Comorbidities
- ⋮ Comorbidities prior to Diagnosis
- ⋮ Constitutional Comorbidities
- ⋮ Distribution of Charlson Comorbidities

Treatment Timing Analysis


- ⋮ Time between Diagnosis and First Treatment
- ⋮ Diagnostic Testing
- ⋮ Survival Rates from Time to Treatment
- ⋮ Constitutional Comorbidities
- ⋮ Time between 1L Discontinuation & 2L Initiation
- ⋮ Time between 2L Discontinuation & 3L Initiation
- ⋮ Time between Lines
- ⋮ Time to Progression
- ⋮ Median Survival
- ⋮ Treatment across LoT

Lines of Therapy Metrics

- ⋮ Total Patient Volume by Line
- ⋮ Product Share by Line
- ⋮ Total Patient Volume by Product
- ⋮ Total Patient Share by Product (L1 with Maintenance)

Line of Therapy Overview

METRIC VIEW | **FLOW VIEW**



KEY METRIC HIGHLIGHTS


Demographics

- Gender: Male
- Age: 31-40 years
- Income: \$75K-99K
- Education: Bachelor's
- Ethnicity: Caucasian

Pre-Diagnosis

- Diagnostic Test: X-ray
- Comorbidities: Hypertension
- Practitioner Specialty: Internal Medicine

Geographic Distribution: Population



[View full metrics](#)



Patient Journey


Non Small Cell Lung Cancer 🔍 📄 🔊 🔒

Filter Component

Drag a card to the right to view full data set.

 🔍

- Pre-Diagnosis Analysis**
 - Distribution of Top Comorbidities
 - Disease Specific Comorbidities
 - Comorbidities prior to Diagnosis
 - Constitutional Comorbidities
 - Distribution of Charlson Comorbidities
- Treatment Timing Analysis**
 - Time between Diagnosis and First Treatment
 - Diagnostic Testing
 - Survival Rates from Time to Treatment
 - Constitutional Comorbidities
 - Time between 1L Discontinuation & 2L Initiation
 - Time between 2L Discontinuation & 3L Initiation
 - Time between Lines
 - Time to Progression
 - Median Survival
 - Treatment across LoT
- LoT Metrics**
 - Total Patient Volume by Line
 - Product Share by Line
 - Total Patient Volume by Product



KEY METRIC HIGHLIGHTS

Demographics

- Gender: Male
- Age: 31-40 years
- Income: \$75K-99K
- Education: Bachelor's
- Ethnicity: Caucasian

Pre-Diagnosis

- Diagnostic Test: X-ray
- Comorbidities: Hypertension
- Practitioner Specialty: Internal Medicine

Geographic Distribution: Population

[View full metrics](#)



Select a Cohort

Select a base cohort to explore. Cohorts can be modified and saved as new sub-cohorts.



  **Advanced search** **Sort** 



Created by Symphony >



Lung Cancer Diagnosed Patients

Number of patients : 61,623,327
Study Period : 2010 to 2017
Data Source: Claims

 [Launch App](#)

NSCLC with EGF

Number of patients : 48,595,02
Study Period : 2015 to 2020
Data Source: Claims, Lab

 [Launch App](#)

Multiple Myeloma Diagnosed Patients

Number of patients : 13,892,10
Study Period : 2016 to 2021
Data Source: Claims, EMR

 [Launch App](#)

Lung Cancer Diagnosed Patients Tested for PDL-1

Number of patients : 76,501,22
Study Period : 2015 to 2022
Data Source: Claims, EMR, Lab

 [Launch App](#)

Browse by Therapeutic Area >

NSCLC

Number of patients : 61,623,327
Study Period : 2010 to 2017
Data Source: Claims

 [Launch App](#)

SCLC

Number of patients : 48,595,02
Study Period : 2015 to 2020
Data Source: Claims, Lab

 [Launch App](#)

Heart Disease

Number of patients : 13,892,10
Study Period : 2016 to 2021
Data Source: Claims, EMR

 [Launch App](#)

Lung Cancer

Number of patients : 76,501,22
Study Period : 2015 to 2022
Data Source: Claims, EMR, Lab

 [Launch App](#)

Cancel



Launch



Select a Cohort

Select a base cohort to explore. Cohorts can be modified and saved as new sub-cohorts.



  **Advanced search**



Created by Symphony >



Cohort Name

Creator:
Number of patients:
Date modified:

 Launch App

Cohort Name

Creator:
Number of patients:
Date modified:

 Launch App

Cohort Name


Creator:
Number of patients:
Date modified:

 Launch App

Cohort Name

Creator:
Number of patient
Date modified:

 Launch App

Sort 

- Cohort name (A-Z)
- Cohort name (Z-A)
- Creator
- Date modified (newest)
- Date modified (oldest)
- Number of patients (high to low)
- Number of patients (low to high)
- Therapeutic area (A-Z)
- Therapeutic area (Z-A)

Browse by Therapeutic





Cohort Name

Creator:
Number of patients:
Date modified:

 Launch App

Launch App



-  **Adherence & Persistency**
Understanding how long patients are staying on a therapy and being compliant to the prescribed regimen/medication.
-  **Cohort Explorer**
Application designed to support rapid querying and reporting to discover patient trends and encounter populations.
-  **Line of Therapy**
Understand how patients progress across different lines of treatment and what is driving certain behaviors.
-  **Patient Journey**
Understanding the details of all patient touchpoints within a specific healthcare experience.

Launch

Cancel

Launch



Patient Intelligence Cohort Explorer



Non Small Cell Lung Cancer



Add Data Dimension

Drag a card to the right to view full data dimension.

Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.

+ Demographics

Gender	
Female	542
Male	627
Other	128

Age	
70	473
60	365
50	279
40	113
30	67

+ Education

+ Pre-Diagnosis

- Comorbidities
- Location
- Practitioner Type
- Prescriptions
- Test Type
- Time

+ Diagnosis

+ Treatment

Explore more data dimensions by adding to the existing panel

- or -

Create a new panel to explore from the options on the left.

- or -

Launch an app based off this cohort explorer.

Patient Intelligence Cohort Explorer

Non Small Cell Lung Cancer



Add Data Dimension


Drag a card to the right to view full data dimension.

Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.







Search  


+ Demographics



Education 


+ Pre-Diagnosis


- Comorbidities 
- Location 
- Practitioner Type 
- Prescriptions 
- Test Type 
- Time 


+ Diagnosis 

+ Treatment 

Demographics

 **Key Performance Indicators**
NSCLC Patients have a greater proportion of male patients over the age of 65.
[View more](#)

 **Predictive Analytics**
Male patients are most likely to be at risk based on the existing comorbidities.



Explore more data dimensions by adding to the existing panel

- or -

Create a new panel to explore from the options on the left.

- or -

Launch an app based off this cohort explorer.



Patient Intelligence Cohort Explorer

Non Small Cell Lung Cancer

Add Data Dimension


Drag a card to the right to view full data dimension.


Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.


 

+ Demographics


Gender


Female  542


Male  627


Other  128


Age

70  473

60  365







50  279

40  113

30  67

Education

+ Pre-Diagnosis

- Comorbidities 
- Location 
- Practitioner Type 
- Prescriptions 
- Test Type 
- Time 

+ Diagnosis

+ Treatment

Demographics

 Key Performance Indicators 

 Predictive Analytics


 Text

Gender



Customize Age Group

- < 29 years old
- 30–39 years old
- 40–49 years old
- 50–59 years old
- 60–69 years old
- 70–79 years old
- < 80 years
- All groups



Apply Clear

Patient Intelligence Cohort Explorer

Non Small Cell Lung Cancer



Add Data Dimension

Drag a card to the right to view full data dimension.

Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.

Search

Demographics



Education

Pre-Diagnosis

- Comorbidities
- Location
- Practitioner Type
- Prescriptions
- Test Type
- Time

Diagnosis



Treatment

Demographics

Key Performance Indicators

Predictive Analytics

View Detailed Dashboard



Explore more data components by adding to the existing panel

- or -

Create a new panel to explore from the options on the left.

- or -

Launch an app based off this cohort explorer.

Patient Intelligence Cohort Explorer

Non Small Cell Lung Cancer



Add Data Dimension

Drag a card to the right to view full data dimension.

Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.

+ Demographics

+ Pre-Diagnosis

Comorbidities

- Diabetes 473
- Heart Disease 365
- Hypertension 279
- Bronchitis 113
- Stroke 67

Location

Practitioner Type

Practitioner Type

Prescriptions

Test Type

+ Diagnosis

+ Treatment

Demographics

Key Performance Indicators


Predictive Analytics

View Detailed Dashboard

Gender



Age Group




Pre-Diagnosis

Key Performance Indicators

Predictive Analytics

View Detailed Dashboard

Test Type



- Collapse panel
- Expand panel
- Remove panel

Patient Intelligence Cohort Explorer

Non Small Cell Lung Cancer

Add Data Dimension

Drag a card to the right to view full data dimension.

Only the top five filters are on the left. To customize more filters, use the settings icon on the card.

Search

+ Demographics

+ Pre-Diagnosis

Comorbidities

Diabetes

Heart Disease

Hypertension

Bronchitis

Stroke

Location

Practitioner Type

Practitioner Type

Prescriptions

Test Type

+ Diagnosis

+ Treatment

Demographics

Pre-Diagnosis

Add Comorbidities

Hyper

Hypertension

Hyperthyroidism

Hyperthermia

Hypertonic cardiomyopathy

Cancer

COPD

Chronic kidney disease

Depression

Diabetes

Heart disease

Hypertension

Hyperthyroidism

Hypothyroidism

Myocardial infarction

Peripheral arterial disease

Pneumonia

Pulmonary embolism

Stroke

Tuberculosis

Arrhythmia (72)

Atelectasis (31)

Atrial fibrillation (16)

Bronchitis (300)

Cancer (116)

COPD (276)

Chronic kidney disease (157)

Depression (301)

Diabetes (412)

Heart disease (404)

Hypertension (386)

Hyperthyroidism (219)

Apply

Clear

Patient Intelligence Cohort Explorer

Non Small Cell Lung Cancer

Add Data Dimension

Drag a card to the right to view full data dimension.

Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.

Demographics

Pre-Diagnosis

Comorbidities

- Diabetes 473
- Heart Disease 365
- Hypertension 279
- Bronchitis 113
- Stroke 67

Location

Practitioner Type

Practitioner Type

Prescriptions

Test Type

Diagnosis



Treatment

Demographics

Key Performance Indicators

Predictive Analytics

View Detailed Dashboard





Pre-Diagnosis

Key Performance Indicators

Predictive Analytics

View Detailed Dashboard



Patient Intelligence Cohort Explorer

Non Small Cell Lung Cancer

Add Data Set

Drag a card to the right to view full data set.

Search

+ Demographics

+ Pre-Diagnosis

Comorbidities
67% had 3+ comorbidities

Location
58% visited outpatient

Practitioner Type
72% Primary Care Phys

Prescriptions
32% filled

Test Type
91% received X-Rays

+ Diagnosis

+ Treatment

Demographics

 Key Performance Indicators 


 Predictive Analytics 

Pre-Diagnosis

 Key Performance Indicators 

 Predictive Analytics 

Comorbidities



Patient Intelligence Cohort Explorer

Non Small Cell Lung Cancer

Add Data Dimension

Drag a card to the right to view full data dimension.

Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.

+ Demographics

+ Pre-Diagnosis

+ Diagnosis

Costs

Location

- Hospital 473
- Clinic 365
- Medical Office 279
- Urgent Care Facility 113
- Other 67

Practitioner Type

Prescriptions

Time

+ Treatment

Visualizations

rs



Pre-Diagnosis


Key Performance Indicators

Predictive Analytics

View Detailed Dashboard

Test Type

Comorbidities




Diagnosis

Key Performance Indicators

Predictive Analytics

View Detailed Dashboard

Practitioner Type



Patient Intelligence Cohort Explorer

Non Small Cell Lung Cancer

Add Data Dimension

Drag a card to the right to view full data dimension.

Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.

Demographics

Pre-Diagnosis

Diagnosis

Treatment

Claims

Out-of-Pocket Costs


Lines of Therapy

3+			542
2+			627
1			128

Prescriptions

Practitioner Type

osis




Diagnosis

Key Performance Indicators

Predictive Analytics

Practitioner Type



Treatment Initiation


Key Performance Indicators

Predictive Analytics

Claims Approval

Out-of-Pocket Costs

Practitioner Type








Patient Intelligence Cohort Explorer







Non Small Cell Lung Cancer: Demographics

[Return to App](#)



1 month 3 months 6 months 12 months 24 months YTD

Cohort: Name x



Patient Intelligence Cohort Explorer

Untitled Cohort

Add Data Dimension

Drag a card to the right to view full data dimension.

Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.

+ Demographics

+ Pre-Diagnosis

Comorbidities

- Diabetes 473
- Heart Disease 365
- Hypertension 279
- Bronchitis 113
- Stroke 67

Location

Practitioner Type

Practitioner Type

Prescriptions

Test Type

+ Diagnosis

+ Treatment

Demographics

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus sed nunc ante. Morbi dui neque, lobortis id porttitor quis, eleifend id arcu. Suspendisse sit amet urna.


- Text
- Text
- Text
- Text

Predictive Analytics

Lorem ipsum Phasellus se porttitor quis

Gender: Male

Age Group: 31




Pre-Diagnosis

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus sed nunc ante. Morbi dui neque, lobortis id porttitor quis, eleifend id arcu. Suspendisse sit amet urna.


- Text
- Text

Add Data Set

- Comorbidities
- Historical Diagnosis
- Practitioner
- Prescriptions
- Test Type
- View All



Apply Clear



Patient Intelligence Cohort Explorer

Untitled Cohort

Add Data Dimension

Drag a card to the right to view full data dimension.

Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.

+ Demographics

+ Pre-Diagnosis

Comorbidities

- Diabetes 473
- Heart Disease 365
- Hypertension 279
- Bronchitis 113
- Stroke 67

Location

Practitioner Type

Practitioner Type

Prescriptions

Test Type

+ Diagnosis

+ Treatment

Demographics

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus sed nunc ante. Morbi dui neque, lobortis id porttitor quis, eleifend id arcu. Suspendisse sit amet urna.


- ICON Text
- ICON Text
- ICON Text
- ICON Text

Predictive Analytics

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus sed nunc ante. Morbi dui neque, lobortis id porttitor quis, eleifend id arcu.

Gender: Male

Age Group: 31-60 years



Pre-Diagnosis


Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus sed nunc ante. Morbi dui neque, lobortis id porttitor quis, eleifend id arcu. Suspendisse sit amet urna.

- ICON Text
- ICON Text
- ICON Text
- ICON Text

Predictive Analytics

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus sed nunc ante. Morbi dui neque, lobortis id porttitor quis, eleifend id arcu.

Comorbidities



Save As New Cohort Exploration

Cohort name:

Save Clear

Patient Intelligence Cohort Explorer

Non Small Cell Lung Cancer



Add Data Dimension

Drag a card to the right to view full data dimension.

Only the top five filters are visible on the left. To customize more filters, use the settings icon (⚙️) in the card.

Search  

+ Demographics



Education

+ Pre-Diagnosis

- Comorbidities
- Location
- Practitioner Type
- Prescriptions
- Test Type
- Time

Diagnosis

Treatment

Demographics







Key Performance Indicators

NSCLC Patients have a greater proportion of male patients over the age of 65.






[View more](#)

Predictive Analytics

Male patients are most likely to be at risk based on the existing comorbidities.

Gender      

Version	Patients	Rx	Dx	Sx	Px
0	3,000,000	1,000,000	2,000,000	1,000,000	9,000,000
1	50	150	27	12	450
2	30	95	20	8	219
3	15	60	18	7	175
4	10	47	12	5	88
5	5	13	6	3	51

 Px
 Sx
 Dx
 Rx
 Patients
25000

Explore more data dimensions by adding to the existing panel

- or -

Create a new panel to explore from the options on the left.

- or -

Launch an app based off this cohort explorer.

Patient Intelligence Cohort Explorer


Non Small Cell Lung Cancer

Gender: Comparison



Version	Patients	Rx	Dx	Sx	Px
0	3,000,000	1,000,000	2,000,000	1,000,000	9,000,000
1	50	150	75	22	450
2	30	95	32	17	557
3	15	60	20	14	219
4	10	47	15	7	175
5	5	13	8	3	59

- Px
- Sx
- Dx
- Rx
- Patients



- Practitioner Type
- Prescriptions
- Test Type
- Time

- Diagnosis
- Treatment

Adherence & Persistency

Non Small Cell Lung Cancer 📄 🔊 🔒

Filter Component
Drag a card to the right to view full data set.

Search

Demographics

- Gender**
 - Female 124,650
 - Male 99,721
 - Other 24,930
- Age**
 - 70 124,650
 - 60 99,721
 - 50 24,930
 - 40 24,930
 - 30 24,930
- Income**
- Education**

Pre-Diagnosis

- Comorbidities**
- Diagnostic Tests**
- Practitioner Specialty**
- Prescriptions**

Diagnosis

- Setting**
- Practitioner Specialty**
- Payer Metrics**
- Prescriptions**



KEY METRIC HIGHLIGHTS

Demographics

- Gender >
- Age >
- Income >
- Education >
- Ethnicity >

Pre-Diagnosis

- Diagnostic Tests >

Comorbidities 🔽 🔗

- Arrhythmia (72)
- Atelectasis (31)
- Atrial fibrillation (16)
- Bronchitis (300)**
- Cancer (116)
- COPD (276)
- Chronic kidney disease (157)
- Depression (301)
- Diabetes (412)
- Heart disease (404)
- Hypertension (386)
- Hyperthyroidism (219)

Practitioner Specialty 🔽 🔗

- 59% Other
- 12% Hematologist Oncologist
- 5% Medical Oncologist
- 4% Radiation Oncologist
- ~20% Oncologist

[View full metrics](#)



Adherence & Persistency

Non Small Cell Lung Cancer 🔍 📄 🔊 🔒

Filter Component
Drag a card to the right to view full data set.

Search

Demographics

Gender

- Female: 124,650
- Male: 99,721
- Other: 24,930

Age

- 70: 124,650
- 60: 99,721
- 50: 24,930
- 40: 24,930
- 30: 24,930

Income

Education

Pre-Diagnosis

- Comorbidities
- Diagnostic Tests
- Practitioner Specialty
- Prescriptions

Diagnosis

- Setting
- Practitioner Specialty
- Payer Metrics
- Prescriptions

Kaplan-Meier Curve
Cox-Hazard Data
KPI Drivers

Compare

CHART VIEW | **DATA VIEW**

Patient Persistency

Overall	Patient Count	Cum Patients	Persistency
M0	6	23	100%
M1	2	17	74%
M2	2	15	65%
M3	1	13	57%
M4	2	12	52%
M5	2	10	43%
M6	0	8	35%
M7	0	8	35%
M8	1	8	35%
M9	1	7	30%
M10	2	6	26%
M11	2	4	17%
M12	2	2	9%

Overall Monthly Persistency

Total Patients: 23

Confidence Interval
0
12,345
198,765
249,301

KEY METRIC HIGHLIGHTS

Demographics

- Gender >
- Age >
- Income >
- Education >
- Ethnicity >

Pre-Diagnosis

- Diagnostic Tests >

Comorbidities

- Arrhythmia (72)
- Atelectasis (31)
- Atrial fibrillation (16)
- Bronchitis (300)**
- Cancer (116)
- COPD (276)
- Chronic kidney disease (157)
- Depression (301)
- Diabetes (412)
- Heart disease (404)
- Hypertension (386)
- Hyperthyroidism (219)

Practitioner Specialty

- 59% Other
- 12% Hematologist Oncologist
- ~20% Oncologist
- 5% Medical Oncologist
- 4% Radiation Oncologist

[View full metrics](#)

Adherence & Persistency

Non Small Cell Lung Cancer 🔍 📄 🔊 🔒

Filter Component
Drag a card to the right to view full data set.

Search

Demographics

- Gender**
 - Female: 124,650
 - Male: 99,721
 - Other: 24,930
- Age**
 - 70: 124,650
 - 60: 99,721
 - 50: 24,930
 - 40: 24,930
 - 30: 24,930
- Income**
- Education**


Pre-Diagnosis

- Comorbidities**
- Diagnostic Tests**
- Practitioner Specialty**
- Prescriptions**

Diagnosis

- Setting**
- Practitioner Specialty**
- Payer Metrics**
- Prescriptions**

Kaplan-Meier Curve		Cox-Hazard Data				KPI Drivers	
Compare <input type="text"/>		CHART VIEW TABLE VIEW					
Driver Category	Driver	Coefficient	Hazard Ratio	z Value	Pr(> z)		
Disease	Diagnosis history	0	1.442	2.042	0.0041		
	Previous treatment experience	0.203	1.225	1.436	0.151		
	Previous market treatment experience	-0.402	0.669	-1.952	0.051		
	Comorbidities/side effects/complications	0.163	1.177	1.279	0.201		
Patient	Gender distribution	0.303	1.354	2.194	0.028		
	Age distribution	0.52	1.682	2.333	0.02		
	Ethnicity distribution	0.244	1.276	1.596	0.111		
	Geographic distribution	0.415	1.514	1.879	0.06		
	Income distribution	0.244	1.276	1.432	0.152		
	Income between \$50K and \$74K	0.253	1.288	1.604	0.109		
	Income between \$75K and \$99K	-0.382	0.682	-1.89	0.059		
	Income >= \$100K	0.303	1.354	1.932	0.063		
	Dosage frequency (high/medium/low)	0.163	0.73	-2.204	0.028		
	Adherence profile (MPR percentage)	-1.96	0.141	-13.369	< 2e-16		
Payer	Change in health plan	-0.232	0.793	-1.649	0.099		
	Payment type	0.196	1.204	1.462	0.144		
	Average out-of-pocket expenses	-0.227	0.797	-1.804	0.071		
	PA duration	0.381	0.683	-2.119	0.034		
	Total patient pay high	0.385	0.784	-2.004	0.044		
	Brand level persistency	-1.471	0.232	-2.878	0.004		
Physician	Physician specialty	-0.331	0.718	-2.136	0.033		
	Place of service	-0.264	0.768	-1.636	0.102		



KEY METRIC HIGHLIGHTS

Demographics

- Gender >
- Age >
- Income >
- Education >
- Ethnicity >

Pre-Diagnosis

Diagnostic Tests >

Comorbidities

- Arrythmia (72)
- Atelectasis (31)
- Atrial fibrillation (16)
- Bronchitis (300)**
- Cancer (116)
- COPD (276)
- Chronic kidney disease (157)
- Depression (301)
- Diabetes (412)
- Heart disease (404)
- Hypertension (386)
- Hyperthyroidism (219)

Practitioner Specialty

- 59% Other
- 12% Hematologist Oncologist
- ~20% Oncologist
- 5% Medical Oncologist
- 4% Radiation Oncologist

[View full metrics](#)



Adherence & Persistency

Non Small Cell Lung Cancer 🔍 📄 🔊 🔒

Filter Component
Drag a card to the right to view full data set.

Search

Demographics


- Gender**
 - Female 124,650
 - Male 99,721
 - Other 24,930
- Age**
 - 70 124,650
 - 60 99,721
 - 50 24,930
 - 40 24,930
 - 30 24,930
- Income**
- Education**

Pre-Diagnosis

- Comorbidities**
- Diagnostic Tests**
- Practitioner Specialty**
- Prescriptions**

Diagnosis

- Setting**
- Practitioner Specialty**
- Payer Metrics**
- Prescriptions**



KEY METRIC HIGHLIGHTS

Demographics

- Gender >
- Age >
- Income >
- Education >
- Ethnicity >

Pre-Diagnosis

- Diagnostic Tests >

Comorbidities

- Arrhythmia (72)
- Atelectasis (31)
- Atrial fibrillation (16)
- Bronchitis (300)**
- Cancer (116)
- COPD (276)
- Chronic kidney disease (157)
- Depression (301)
- Diabetes (412)
- Heart disease (404)
- Hypertension (386)
- Hyperthyroidism (219)

Practitioner Specialty

- 59% Other
- 12% Hematologist Oncologist
- 5% Medical Oncologist
- 4% Radiation Oncologist
- ~20% Oncologist

[View full metrics](#)



Adherence & Persistency

Non Small Cell Lung Cancer 🔍 📄 🔊 🔒

Filter Component
Drag a card to the right to view full data set.

Search

Demographics

- Gender**
 - Female: 124,650
 - Male: 99,721
 - Other: 24,930
- Age**
 - 70: 124,650
 - 60: 99,721
 - 50: 24,930
 - 40: 24,930
 - 30: 24,930
- Income**
- Education**

Pre-Diagnosis

- Comorbidities**
- Diagnostic Tests**
- Practitioner Specialty**
- Prescriptions**

Diagnosis

- Setting**
- Practitioner Specialty**
- Payer Metrics**
- Prescriptions**

Kaplan-Meier Curve
Cox-Hazard Data
KPI Drivers

Compare

Aged over 65

Patient age over 65 **decreases** the risk of discontinuation compared to patients age <65.

Geographic Location

Geographical location of patients may affect persistence on therapy

Higher Income

Patient household income between **\$75k-\$99k** **decreases** the risk of discontinuation.

Patient Persistence

Patients who are highly complaint (measured using MPR) on other medications used may be more persistent with Therapy/Treatment.

Patient Persistence

Patients who are highly complaint (measured using MPR) on other medications used may be more persistent with Therapy/Treatment.

Dosing Regimen/Frequency

Therapy/Treatment starting doses impacts patients persistence, patients on higher dose may be more persistent with treatment.

Lower Income

Patient household income <\$30k **increases** the risk of discontinuation.

Aged over 65

Patient age under 65 **increases** the risk of discontinuation.

Confidence Interval
0
12,345
198,765
249,301

KEY METRIC HIGHLIGHTS

Demographics

- Gender >
- Age >
- Income >
- Education >
- Ethnicity >

Pre-Diagnosis

Diagnostic Tests >

Comorbidities 🔍

- Arrythmia (72)
- Atelectasis (31)
- Atrial fibrillation (16)
- Bronchitis (300)**
- Cancer (116)
- COPD (276)
- Chronic kidney disease (157)
- Depression (301)
- Diabetes (412)
- Heart disease (404)
- Hypertension (386)
- Hyperthyroidism (219)

Practitioner Specialty 🔍

[View full metrics](#)